

Arsenic Treatment Technologies

Christopher A. Impellitteri
USEPA/ORD/WSWRD/WQMB
Water Technologies for Rural Texas
Tuesday, December 2, 2003

Research and Development at EPA



- 1,950 employees
- \$700 million budget
- \$100 million extramural research grant program
- 13 lab or research facilities across the U.S.
- Credible, relevant and timely research results and technical support that inform EPA policy decisions

As Treatment - Overview

- ❖ As Chemistry
- ❖ Treatment Technology Review
- ❖ Current Research
- ❖ Information Available on the Web

Arsenic Chemistry

❖ Two primary oxidation states

As (III) As (V)



Why is arsenic form important?

- ❖ Negative charge (pH dependent) on As(V) allows it to bind with positively charged surfaces (e.g. Fe-oxides)
- ❖ Uncharged As(III) is relatively unreactive

Coagulation/Filtration

Treatment Process Removal	Percent	
	<u>As III</u>	<u>As</u>
<u>V</u> Iron Coag/Filt - pH 7	55	97
Alum Coag/Filt - pH 7	18	95

Ion Exchange

Ion exchange treatment

As III - 0 percent removal

As V - 98+ percent
removal

Arsenic Occurrence

Surface waters predominantly As(V)

Ground waters generally As(III), but
not always

Arsenic Treatment Technologies

- ❖ Precipitative processes
- ❖ Adsorption processes
 - ❖ Fe
 - ❖ Al
 - ❖ Mn
- ❖ Ion Exchange process
- ❖ Membrane processes
- ❖ POU/POE devices

Arsenic Treatment Technologies

Process	Mechanism	As Removal (%)
Coag./Filt.	Precipitation	95
Lime Softening	Precipitation	85
Activated Al	Sorption	90+
Fe media	Sorption	90+
Ion exchange	Ion exchange	95+
Reverse Osmosis	Filtration	90+
Nanofiltration	Filtration	65-90
Ultrafiltration	Filtration	35-75

Arsenic Treatment-Small Systems

Small Systems Using Surface Waters

- Coagulation/filtration package plants
- Iron Removal processes - oxidation/filtration
- Lime softening package plants

Arsenic Treatment-Small Systems

Small Systems Using Ground Waters

- Anion Exchange
- Activated Al or Fe media adsorption
- Iron Removal processes - oxid/filt.

Arsenic Treatment - Current Research

Laboratory Scale

As chemistry in:

Residuals

Distribution systems

Field Demonstrations

Small Systems Research - Arsenic

- ❖ Field Studies: 32 sites across the USA
- ❖ www.epa.gov/ORD/NRMRL/arsenic/research.htm#round2
- ❖ Proposal deadline January 5, 2004
- ❖ Evaluate the efficiency and effectiveness of drinking water **treatment technologies, process modifications and engineering approaches** as well as **POU/POE devices** to meet the new arsenic MCL of 10 µg/l at host site locations that have varied source water quality conditions

Arsenic Treatment - Current Research

Field Studies in Texas

Location	[As] (mg/L)	Current Treatment	Sourc e	Pop. Served	Max. Daily Flow (gpm)
Alvin, TX	.029	PO ₄ + Cl	GW	516	212
Bruni, TX	.059	Cl	GW	300	60
Wellma n, TX	.039	Cl	GW	247	85

Arsenic Publications and Information

Field Demonstration Proposals:

www.epa.gov/ORD/NRMRL/arsenic/research.htm#round2

General Information-Regulatory Issues:

www.epa.gov/safewater/arsenic.html

Publications:

www.epa.gov/ORD/NRMRL/Pubs/index.html

“Removal of Arsenic from Drinking Water by Ion Exchange Design Manual” EPA/600/R-03/080

“Small Drinking Water Systems Handbook - A Guide to "Packaged" Filtration and Disinfection Technologies with Remote Monitoring and Control Tools” EPA/600/R-03/041

“Design Manual: Removal of Arsenic from Drinking Water by Adsorptive Media” EPA/600/R-03/019

“Treatment of Arsenic Residuals from Drinking Water Removal Processes” EPA/600/R-01/033

Arsenic Publications and Information

Publications:

www.epa.gov/ORD/htm/ordpubs.htm (click on “Water” link)

“Arsenic Removal from Drinking Water by Coagulation/Filtration and Lime Softening Plants” EPA/600/R-00/063

“Arsenic Removal from Drinking Water by Iron Removal Plants”

EPA/600/R-00/086

“Arsenic Removal from Drinking Water by Ion Exchange and Activated Alumina Plants” EPA/600/R-00/088

“Regulations on the Disposal of Arsenic Residuals from Drinking Water Treatment Plants” EPA/600/R-00/025



Questions?